

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
Randolph M. Howes) Group Art Unit: 1616
Application No.: 10/050,121) Examiner: Frank I. Choi
Filed: January 18, 2002) Attorney Docket No.: 29794/04001
For: Compositions, Methods and Apparatuses for Singlet Oxygen Delivery)))

Commissioner For Patents P.O. Box 1450 Alexandria, VA 22313-1450

DECLARATION UNDER 37 C.F.R. § 1.131

- I, Randolph M. Howes, state that I am the named Applicant of the above-identified application, and am the inventor of the subject matter described and claimed therein. Prior to April 29, 1999, I have completed in this country the invention as described and claimed in the above-identified application as evidenced by the following:
 - 1. On March 27 and 28, 1992, I attended a symposium in Photodynamic Therapy at Santa Barbara, California.
 - 2. On the conference materials that were distributed for the conference I took notes on my ideas for methods of delivering singlet oxygen (" $^{1}O_{2}$ ") to a target site.
 - 3. On March 29, 1992, I recorded the following notes:

"RMH

3/29/92

- one could also use ${}^{1}O_{2}^{*}$ in an irrigating system for wound cavities such as emphyemas or peritonitis or a wound surface - this would have both bacteriocidal & tumoricidal activity" (Exhibit 1.)

"- an added advantage of injectable ${}^{1}O_{2}^{*}$ is that there is literally no limit to depth of treatment such as seen with PDT in which the light can penetrate only to 5 mm or where diffusion techniques have to be employed" (Exhibit 2.)

"- one could use endoscopes to place the treating ${}^{1}O_{2}^{*}$ virtually anywhere in the body utilizing the injection technique" (Exhibit 2.)

- 4. In September 1993, I tested the inventive concept on myself.
- 5. On September 14, 1993, I recorded the following notes as I tested the invention on myself:

"9/14/93 10PM RMH – lesion 0.5 cm dia

– will inj. keratosis on right shoulder with H_2O_2 & NaOCl – 0.1 cc each with 25 gauge needle & 1 cc tuberculin syringe

- will use 1% xylocaine with 1:100,000 epi

10:15 PM – inj. with xylocaine

10:25 PM – inj. with NaOCl – painful

" H_2O_2 – turned white

11:30 – still painful but turning black

12:00 MN – looks like early scab" (Exhibit 3.)

- 6. On September 15, 1993, I recorded the following notes based on observations of the September 14, 1993-injection site:
 - "9/15/03¹ injected lesion now black with escar
 - looks like it killed it
 - will try again
 - will wait longer for local anesth." (Exhibit 3.)
- 7. On September 21, 1993, I recorded the following notes based on observations of the September 14, 1993-injection site:
 - "9/21/02² still not sloughed off but lesion is definitely <u>dead</u>" (Exhibit 3.)
- 8. On March 15, 1996, I repeated the test of the invention on myself, this time reversing the order of the reactant injections.
- 9. On March 15, 1996, I recorded the following notes as I repeated the invention on myself:
- "RMH 3/15/96 will repeat injection but will use dermal nevus or keratosis.

 1% xylocaine 1:100,000 epi

nevus on Left forearm < 0.3 cm dia

- inj. 0.1 cc H₂O₂ first then NaOCl

can't inj. both together - needles to awkward

- seemed to work better with NaOCl first, then follow with H₂O₂" (Exhibit 4.)
- 10. On March 16, 1996, I recorded the following notes relating to the injection site:

Note that I incorrectly recorded the date as "9/15/03". In fact, I recorded the notes on September 15, 1993.

² Note that I incorrectly recorded the date as "9/21/02". In fact, I recorded the notes on September 21, 1993.

"3/16/96 11AM – did do as well as with H_2O_2 first but did turn black, like with PDT" (Exhibit 4.)

I declare further that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further, that the statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patents issuing thereon.

Date:		
	Dr. Randolph M. Howes	

"RMH

3/29/92

- one could also use ¹O₂' in an irrigating system for wound cavities such as emphyemas or peritonitis or a wound surface this would have both bacteriocidal & tumoricidal activity" (Exhibit 1.)
- "-- an added advantage of injectable ${}^{1}O_{2}^{\bullet}$ is that there is literally no limit to depth of treatment such as seen with PDT in which the light can penetrate only to 5 mm or where diffusion techniques have to be employed" (Exhibit 2.)
- "- one could use endoscopes to place the treating ${}^{1}O_{2}$ virtually anywhere in the body utilizing the injection technique" (Exhibit 2.)
 - 4. In September 1993, I tested the inventive concept on myself
- 5. On September 14, 1993, I recorded the following notes as I tested the invention on myself:
 - "9/14/93 10PM RMH lesion 0.5 cm dia
- will inj. keratosis on right shoulder with H₂O₂ & NaOCl 0.1 cc each with 25 gauge needle & 1 cc tuberculin syringe
 - will use 1% xylocaine with 1:100,000 epi
 - 10:15 PM inj. with xylocaine
 - 10:25 PM inj. with NaOCl painful
 - " H_2O_2 turned white
 - 11:30 still painful but turning black
 - 12:00 MN looks like early scab" (Exhibit 3.)

6. On September 15, 1993, I recorded the following notes based on observations of the September 14, 1993-injection site:

"9/15/03" - injected lesion now black with escar

- looks like it killed it
- will try again
- -- will wait longer for local anesth." (Exhibit 3.)
- 7. On September 21, 1993, I recorded the following notes based on observations of the September 14, 1993-injection site:

"9/21/02² - still not sloughed off but lesion is definitely dead" (Exhibit 3.)

- 8. On March 15, 1996, I repeated the test of the invention of myself, this time reversing the order of the reactant injections.
- 9. On March 15, 1996, I recorded the following notes as I repeated the invention on myself:

"RMH - 3/15/96 will repeat injection but will use dermal nevus or keratosis.

1% xylocaine 1:100,000 epi

nevus on Left forearm < 0.3 cm dia

- inj. 0.1 cc H₂O₂ first then NaOCl

site:

can't inj. both together -- needles to awkward

- -- seemed to work better with NaOCl first, then follow with H₂O₂" (Exhibit 4.)
- 10. On March 16, 1996, I recorded the following notes relating to the injection

Note that I incorrectly recorded the date as "9/15/03". In fact, I recorded the notes on September 15, 1993.

² Note that I incorrectly recorded the date as "9/21/02". In fact, I recorded the notes on September 21, 1993,

"3/16/96 11AM – did do as well as with H₂O₂ first but did turn black, like with PDT" (Exhibit 4.)

I declare further that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further, that the statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patents issuing thereon.

Date: ///2//04

Dr. Randolph M. Howes

Viane

754/92

- De doubt also use to in a ivigate of septen for avail construct such as engineer a pertonitis or a would surface — this would have loth borders want of functional

REDACTED

REDACTED

REDACTED

REDACTED

In added advantage of injectable Et is
that there is literally no limit to depth

I to east must sevel as seen with PDI. I

which the light can present all to Turn

or where definish techniques have to be completed

REDACTED

REDACTED

REDACTED

839 3/20/12 -inflight

The world use encloserpes to face the treathing.

The winterfully anywhere in the body utilities the line of the li

REDACTED

REDACTED

1000 and Resolving Resolver 5 the to the state of the sta

EXHIBIT

#

Just - 3/196 with report injection but well over

Dever on Lordon Coapean licenson

- inj ala theor for the Nacle

Lant in both toppher - reelles to ordered

- seemed to work butte - Next first

The fllow of the De

3/1486 (14m - Ded do awel as 5 the first

but and form blanch, those PDT

BEST AVAILABLE COPY